

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
5 February 2004 (05.02.2004)


PCT

(10) International Publication Number
WO 2004/012374 A2

- (51) International Patent Classification⁷: **H04L**
- (21) International Application Number: **PCT/US2003/022728**
- (22) International Filing Date: **22 July 2003 (22.07.2003)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
60/399,787 31 July 2002 (31.07.2002) US
10/319,180 13 December 2002 (13.12.2002) US
- (71) Applicant: **INTERDIGITAL TECHNOLOGY CORPORATION [US/US]; 300 Delaware Avenue, Suite 527, Wilmington, DE 19801 (US).**
- (72) Inventors: **SHAHEEN, Kamel, M.; 209 Cambridge Road, King of Prussia, PA 19406 (US). KAVAKEVICH, Leonid; 95 Rountree Drive, Plainview, NY 11803 (US).**
- (74) Agents: **VOLPE, Anthony, S. et al.; Volpe & Koenig, P.C., United Plaza, Suite 1600, 30 South 17th Street, Philadelphia, PA 19103 (US).**
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published: — *without international search report and to be republished upon receipt of that report*

[Continued on next page]

(54) Title: **METHOD AND APPARATUS FOR WLAN-UMTS INTERWORKING EMPLOYING UMTS AIR INTERFACE**



(57) Abstract: A method enabling a wireless remote terminal (UE) to access a universal mobile telecommunication system (UMTS) through a wireless local area network (WLAN) wherein UMTS services are transmitted to a format converter from a UMTS transceiver and the format converter changes the format of received messages to a WLAN format before transmission to the UE which is operating in the WLAN mode.

WO 2004/012374 A2

BEST AVAILABLE COPY



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD AND APPARATUS FOR WLAN-UMTS INTERWORKING EMPLOYING UMTS AIR INTERFACE

FIELD OF INVENTION

The present invention relates to wireless communications. More particularly the invention deals with WLAN-UMTS interworking.

BACKGROUND

Subscribers, such as mobile stations (UEs), to a universal mobile telecommunication system (UMTS) which are operating under a wireless local area network (WLAN) environment and desire to access the UMTS, can incur a significant increase in costs when accessing UMTSs in those areas where the UMTS system access would be of substantial cost.

[0006] The present invention provides a less expensive alternative for accessing a UMTS without incurring such substantial costs. The composite systems of the present invention comprises a UMTS system underlayed by a WLAN system. The UMTS is provided with a transceiver acting as a UMTS radio front-end for a UMTS subscriber operating in a WLAN environment. The interface between the UMTS system and the end user (UE) is obtained through the WLAN interface.

[0007] The WLAN system converts received UMTS messages and/or traffic for pre-registered users into a format suitable for WLAN transmission to be delivered to users operating in WLAN environments. In addition, the WLAN converts transmitted messages and traffic flows into UMTS formats which is then transmitted to the UMTS system by way of the UMTS transceiver supporting the WLAN system. The WLAN users gain access to the UMTS system through a UMTS air interface employing a translator.

BRIEF DESCRIPTION OF THE FIGURES

The present invention will be understood from a consideration of the accompanying description and drawings in which like elements are

designated by like numerals and, wherein:

Figure 1 is a diagram of a UMTS system underlayed by a WLAN system.

Figures 2 and 3 are diagrams showing the message utilized for the WLAN-UMTS interworking in accordance with the apparatus and methods of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 1 shows an arrangement 10 useful in explaining the interworking between a UMTS system 12 and WLAN system 14. The arrangement of Figure 1 will be described in conjunction with the technique for delivery of UMTS based services when a mobile station such as a remote terminal is served by the WLAN system.

[0014] Making reference to Figure 2, and, where appropriate, Figure 1, there is shown an arrangement similar to that of Fig. 1.

[0015] Only one mobile station 24 is shown for purposes of simplicity, it being understood that a plurality of such mobile terminals are serviced by the WLAN 14. Although the mobile station remote terminal (UE) 24 may also be a dual-mode terminal capable of communicating with a WLAN and a UMTS, for purposes the present invention, a WLAN-capable terminal 24 is utilized.

[0016] User terminal (UE) 24, through its WLAN capability 24A, registers with WLAN 14, at step S1. WLAN 14, at step S2, then registers the user identification (ID) for the UMTS service watch, communicating with UMTS transceiver 18. UMTS transceiver 18 is tuned for any services addressed to registered users' identifications (IDs). When a UMTS service, such as a page, short message service (SMS), multimedia message service (MMS) or the like is to be delivered, UMTS 12 transfers such a service, in the example given a page message, at step S3, the page message being delivered to UMTS transceiver 18. UMTS transceiver 18, at step S4, typically from a radio tower 26, transmits the page message over UMTS air interface 28 to a

receiving radio tower 30, to format converter 16 which, at step S5, converts the present (UMTS) format into a WLAN message format and, at step S6, communicates the page message, in WLAN message format, to WLAN 14. WLAN 14, at step S7, delivers the page message to mobile terminal 24. An acknowledgement is relayed from terminal 24, at step S8, to WLAN 14, the acknowledgement being transferred to format converter 16 at step S9 and from there to UMTS transceiver 18, at step S10, and finally to UMTS 12, at step S11.

Figure 3 shows a terminal 24 similar to that shown in Fig. 2, which, through its WLAN capability 24A, registers with WLAN 14, at step S1. The WLAN 14, at step S2, forwards the user registration to format converter 16 which, at step S3, changes the format into a UMTS message format and, at step S4, provides a UMTS package switched (PS) UMTS attachment directed to the UMTS transceiver 18. UMTS transceiver 18 transfers the UMTS PS attached to UMTS 12, at step S5.

The PS attach completed message is transferred from UMTS 12 to UMTS transceiver 18, at step S6, and from UMTS transceiver 18 to format converter 16, at step S7. Format converter 16, at step S8, changes the format of the PS attach into a WLAN message format and, at step S9, conveys the message to WLAN 14 which, at step S10, provides the message to mobile terminal 24. Acknowledgement from terminal 24 to WLAN 14 occurs at step S11, from WLAN 14 to format converter 16, at step S12, from format converter 16 to UMTS transceiver 18, at step S13 and the UMTS transceiver 18 to UMTS 12, at step S14, thereby completing the acknowledgment.

*

*

*

CLAIMS

What is claimed is:

1. A method in which a wireless remote terminal (UE) accesses a universal mobile telecommunication system (UMTS) through a wireless local area network (WLAN), comprising:
 - a) said UE, when in a WLAN mode, registering with the WLAN;
 - b) said WLAN registering the UE with the UMTS for purposes of a UMTS service watch;
 - c) said UMTS, responsive to step (b), watching for UMTS messages directed to the UE registered with the UMTS;
 - d) said UMTS providing a UMTS service to the WLAN; and
 - e) said WLAN changing the format of the UMTS service to a WLAN message format and passing the reformatted message to the UE.
2. The method of claim 1 further including:
 - (f) providing a UMTS transceiver for performing steps (b) and (c).
3. The method of claim 1 further including:
 - (f) providing a format converter as part of the WLAN for receiving the UMTS service and changing the format of the UMTS service into a WLAN message format, said format converter passing the reformatted message to the WLAN for transmission to the UE.
4. A method for use by a wireless remote terminal (UE) operating within a wireless local area network (WLAN) for accessing a universal mobile telecommunication system (UMTS), comprising:
 - a) said UE, in a WLAN mode, registering with the WLAN;

- b) said WLAN changing the format of the registration message into a UMTS format and transmitting the reformatted message to the UMTS;
- c) said UMTS receiving the reformatted message;
- d) said UMTS acknowledging completion of the message from the WLAN; and
- e) said WLAN changing the format of the message into a WLAN message format and transmitting the message to the UE, operating in the WLAN mode.

5. The method of the claim 4 further including:

- f) providing a format converter for performing the function of step (e).

6. The method of claim 4 further comprising:

- (f) providing a UMTS transceiver for performing steps (b) and (c).

7. Apparatus in which a wireless remote terminal (UE) accesses a universal mobile telecommunication system (UMTS) through a wireless local area network (WLAN), comprising:

- said UE having means for registering with the WLAN;
- said WLAN having means for registering the UE with the UMTS for purposes of a UMTS service watch;
- said UMTS including means responsive to said registering means for watching for UMTS messages directed to the UE registered with the UMTS;
- said UMTS having means for providing a UMTS service to the WLAN; and

said WLAN having means for changing the format of the UMTS service to a WLAN message format and passing the reformatted message to the UE.

8. The apparatus of claim 1 further including:

(f) said UMTS registering means comprising a transceiver.

9. The apparatus of claim 1 wherein said changing means comprises a format converter for receiving the UMTS service and changing the format of the UMTS service into a WLAN message format, said format converter including means for passing the reformatted message to the WLAN for transmission to the UE.

10. Apparatus for use by a wireless remote terminal (UE) operating within a wireless local area network (WLAN) for accessing a universal mobile telecommunication system (UMTS), comprising:

said UE having a WLAN mode which includes means for registering the UE with the WLAN;


said WLAN including means for changing the format of the registration message into a UMTS format and means for transmitting the reformatted message to the UMTS;


said UMTS including means for receiving the reformatted message and means for acknowledging completion of the message from the WLAN; and

said WLAN including means for changing the format of the message into a WLAN message format and means for transmitting the message to the UE, operating in the WLAN mode.

11. The apparatus of the claim 10 wherein said means for changing comprises a format converter.

12. The apparatus of claim 10 wherein said UMTS receiving means comprises a transceiver.








FIG. 3

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
5 February 2004 (05.02.2004)


PCT

(10) International Publication Number
WO 2004/012374 A3

- (51) International Patent Classification⁷: H04Q 7/20, H04B 1/38
- (21) International Application Number: PCT/US2003/022728
- (22) International Filing Date: 22 July 2003 (22.07.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/399,787 31 July 2002 (31.07.2002) US
10/319,180 13 December 2002 (13.12.2002) US
- (71) Applicant: **INTERDIGITAL TECHNOLOGY CORPORATION** [US/US]; 300 Delaware Avenue, Suite 527, Wilmington, DE 19801 (US).
- (72) Inventors: **SHAHEEN, Kamel, M.**; 209 Cambridge Road, King of Prussia, PA 19406 (US). **KAVAKEVICH, Leonid**; 95 Rountree Drive, Plainview, NY 11803 (US).
- (74) Agents: **VOLPE, Anthony, S. et al.**; Volpe & Koenig, P.C., United Plaza, Suite 1600, 30 South 17th Street, Philadelphia, PA 19103 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published: — with international search report

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR WLAN-UMTS INTERWORKING EMPLOYING UMTS AIR INTERFACE



(57) Abstract: A method enabling a wireless remote terminal (UE) to access a universal mobile telecommunication system (UMTS) through a wireless local area network (WLAN) wherein UMTS services are transmitted to a format converter from a UMTS transceiver and the format converter changes the format of received messages to a WLAN format before transmission to the UE which is operating in the WLAN mode.

WO 2004/012374 A3



— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(88) Date of publication of the international search report:
13 May 2004

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/22728

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : H04Q 007/20; H04B 001/38

US CL : 455/426, 435, 552

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 455/426, 435, 552, 426.1, 466; 370/338

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
EAST**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|--|-----------------------|
| X,E | 2003/0139180 A1 (MCINTOSH) 24 July 2003, see paragraphs 2, 8, 11-15, 17 and 58. | 1-3 and 7-9 |
| X,E | 2004/0001468 A1 (BICHOT et al) 01 January 2004, see paragraph 22 and fig. 21. | 4-6 and 10-12 |
| A | US 6,529,728 B1 (PFEFFER et al) 04 March 2003, see entire document. | 1-12 |
| A | 2003/0118015 A (GUNNARSSON et al) 26 June 2003, see entire document. | 1-12 |
| A | 2003/0134650 A1 (SUNDAR et al) 17 July 2003, see entire document. | 1-12 |

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

19 February 2004 (19.02.2004)

Date of mailing of the international search report

22 MAR 2004

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Facsimile No. (703) 305-3230

Authorized officer

KENNETH A WEIDER

Telephone No. (703) 305-4710

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)